This is an official

CDC Health Advisory

Distributed via Health Alert Network

October 5, 2004 10:30 EDT (10:30 PM EDT)

Interim Influenza Vaccination Recommendations —

2004-05 Influenza Season

On October 5, 2004, CDC was notified by Chiron Corporation that none of its influenza vaccine (Fluvirin®) would be available for distribution in the United States for the 2004–05 influenza season. The company indicated that the Medicines and Healthcare Products Regulatory Agency (MHRA) in the United Kingdom, where Chiron's Fluvirin vaccine is produced, has suspended the company's license to manufacture Fluvirin vaccine in its Liverpool facility for 3 months, preventing any release of this vaccine for this influenza season. This action will reduce by approximately one half the expected supply of trivalent inactivated vaccine (flu shot) available in the United States for the 2004–05 influenza season.

The remaining supply of influenza vaccine expected to be available in the United States this season is nearly 54 million doses of Fluzone[®] (inactivated flu shot) manufactured by Aventis Pasteur, Inc. Of these doses, approximately 30 million doses already have been distributed by the manufacturer. In addition, approximately 1.1 million doses of live attenuated influenza vaccine (LAIV/FluMist[®]) manufactured by MedImmune will be available this season.

Because of this urgent situation, CDC, in coordination with its Advisory Committee for Immunization Practices (ACIP), is issuing interim recommendations for influenza vaccination during the 2004–05 season. These interim recommendations were formally recommended by ACIP on October 5, 2004, and take precedence over earlier recommendations.

Priority Groups for Influenza Vaccination

The following priority groups for vaccination with inactivated influenza vaccine this season are considered to be of equal importance and are:

- all children aged 6–23 months;
- adults aged 65 years and older;
- persons aged 2–64 years with underlying chronic medical conditions;
- all women who will be pregnant during the influenza season;
- residents of nursing homes and long-term care facilities;
- children aged 6 months–18 years on chronic aspirin therapy;
- health-care workers involved in direct patient care; and
- out-of-home caregivers and household contacts of children aged <6 months.

Other Vaccination Recommendations

- Persons in priority groups identified above should be encouraged to search locally for vaccine if their regular health-care provider does not have vaccine available.
- Intranasally administered, live, attenuated influenza vaccine, if available, should be encouraged for healthy persons who are aged 5–49 years and are not pregnant, including health-care workers (except those who care for severely immunocompromised patients in special care units) and persons caring for children aged <6 months.
- Certain children aged <9 years require 2 doses of vaccine if they have not previously been vaccinated. All children at high risk for complications from influenza, including those aged 6–23 months, who present for vaccination, should be vaccinated with a first or second dose, depending on vaccination status. However, doses should not be held in reserve to ensure that 2 doses will be available. Instead, available vaccine should be used to vaccinate persons in priority groups on a first-come, first-serve basis.

Vaccination of Persons in Nonpriority Groups

Persons who are not included in one of the priority groups described above should be informed about the urgent vaccine supply situation and asked to forego or defer vaccination.

Persons Who Should Not Receive Influenza Vaccine

Persons in the following groups should not receive influenza vaccine before talking with their doctor:

- persons with a severe allergy (i.e., anaphylactic allergic reaction) to hens' eggs and
- persons who previously had onset of Guillain-Barré syndrome during the 6 weeks after receiving influenza vaccine.

Additional Information

Information regarding influenza is available at the DHEC website at: www.scdhec.com

Additional information is available at http://www.cdc.gov/flu or through the CDC public response hotline, telephone 888-246-2675 (English), 888-246-2857 (Español), or 866-874-2646 (TTY

DHEC Contact Information for Reportable Diseases and Reporting Requirements

Reporting of positive influenza viral cultures and positive rapid influenza tests are consistent with South Carolina Law requiring the reporting of diseases and conditions to your state or local public health department. (State Law # 44-29-10 and Regulation # 61-20) as per the DHEC 2004 List of Reportable Conditions available at: http://www.scdhec.net/hs/diseasecont/disease.htm.

Federal HIPAA legislation allows disclosure of protected health information, without consent of the individual, to public health authorities to collect and receive such information for the purpose of preventing or controlling disease. (HIPAA 45 CFR §164.512).

District Public Health Offices

Mail or call reports to the District Epidemiology/Disease Reports office in each district.

Appalachia I (Anderson, Oconee)

220 McGee Road Anderson, SC 29625 Phone: (864) 231-1966 Fax: (864) 260-5623

Nights / Weekends: 1-(866)-298-4442

Appalachia II (Greenville, Pickens)

PO Box 2507 200 University Ridge Greenville, SC 29602-2507 Phone: (864) 282-4139 Fax: (864) 282-4373 Nights / Weekends: (864) 460-5355 or 1-800-993-1186

Appalachia III (Cherokee, Spartanburg, Union)

PO Box 4217 151 E. Wood Street Spartanburg, SC 29305-4217 Phone: (864) 596-2227 ext. 210 Fax: (864) 596-3443 Nights / Weekends: (864) 809-3825

Catawba (Chester, Lancaster, York)

PO Box 817 1833 Pageland Highway Lancaster, SC 29721 Phone: (803) 283-3175 Fax: (803) 283-0572 Nights / Weekends: 1-(866)-867-3886 or 1-(888)-739-0748

Edisto Savannah (Aiken, Allendale, Barnwell)

1680 Richland Avenue, W. Suite 40 Aiken, SC 29801 Phone: (803) 642-1618

Fax: (803) 642-1619 Nights / Weekends: (803) 827-8668 or 1-800-614-1519

Edisto Savannah (Bamberg, Calhoun, Orangeburg)

PO Box 1126 1550 Carolina Avenue Orangeburg, SC 29116 Phone: (803) 533-7199 Fax: (803) 536-9118 Nights / Weekends: (803) 954-8513

Low Country (Beaufort, Colleton, Hampton, Jasper)

1407 King Street Beaufort, SC 29902 Phone: (843) 525-7603 Fax: (843) 525-7621

Nights / Weekends: 1-800-614-4698

Palmetto

(Fairfield, Lexington, Newberry, Richland)

2000 Hampton Street Columbia, SC 29204 Phone: (803) 576-2749 Fax: (803) 576-2993

Nights / Weekends: (803) 304-4252

Pee Dee

(Chesterfield, Darlington, Dillon, Florence, Marlboro, Marion)

145 E. Cheves Street Florence, SC 29506 Phone: (843) 661-4830 Fax: (843) 661-4859

Nights / Weekends: (843) 660-8145

Trident (Berkeley, Charleston, Dorchester)

4050 Bridge View Drive, Suite 600 N. Charleston, SC 29405 Phone: (843) 746-3832 Fax: (843) 746-3851

Nights / Weekends: (843) 219-8470

Upper Savannah

(Abbeville, Edgefield, Greenwood, Laurens, McCormick, Saluda)

PO Box 3227 1736 S. Main Street Greenwood, SC 29646 Phone: 1-888-218-5475 Fax: (864) 942-3690

Nights / Weekends: 1-800-420-1915

Waccamaw

(Georgetown, Horry, Williamsburg)

2830 Oak Street Conway, SC 29526-4560 Phone: (843) 365-3126 Fax: (843) 365-3153

Nights / Weekends: (843) 381-6710

Wateree

(Clarendon, Kershaw, Lee, Sumter)

PO Box 1628 105 North Magnolia Street Sumter, SC 29150 Phone: (803) 773-5511 Fax: (803) 773-6366

Nights / Weekends: 1-(877)-831-4647

Bureau of Disease Control

Acute Disease Epidemiology Division 1751 Calhoun Street Box 101106 Columbia, SC Phone: (803) 898-0861 Fax: (803) 898-0897 Nights / Weekends: 1-888-847-0902